UTAH OIL AND GAS CONSERVATION	COMMISSIO	V	,	<i>t</i>
REMARKS: WELL LOG ELECTRIC LOGS FILE X WATER SANDS LOCA	TION INSPECTE	D	SUB. R	EPORT/abd.
		···		
DATE FILED 12-18-89				
LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO.	U-300	96		INDIAN
DRILLING APPROVED: 12–28–89				
SPUDDED IN:				
COMPLETED: 6, 2 - 40 1/7 PUT TO PRODUCING:				
INITIAL PRODUCTION:				
GRAVITY A.P.I.				
GOR:				
PRODUCING ZONES:				
TOTAL DEPTH:				
WELL ELEVATION:				
DATE ABANDONED VA DU SOLITATO LIQUINT U-0.40				
FIELD: CASTLE PEAK				
UNIT:				
COUNTY: DUCHESNE				
WELL NO. FEDERAL 12-5	PI NO.	43-013-	-31255	•
LOCATION 2134 FNL FT. FROM (N) (S) LINE, 508 FWL FT. FROM (E) (V	) LINE.	SW NW	1	/4 — 1/4 SEC. 5
TWP. RGE. SEC. OPERATOR TWP.	RGE.	SEC.	OPERATOR	
9s	16E	5	ROSELAND	OIL & GAS, INC.

Form 3160-3 (November 1983) (formerly 9-331C)

## UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN T\_\_\_\_ICATE\*

(Other instructions on reverse side)


Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

	DEIANIMEN		· ·		5. LEASE DESIGNATION	AND SERIAL NO.
BUREAU OF LAND MANAGEMENT				U-30096		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK				6. IF INDIAN, ALLOTTE	OR TRIBE NAME	
1a. TYPE OF WORK		. •			N/A	
	RILL 🖾	DEEPEN	☐ PLUG BA	CK 🗆	7. UNIT AGREEMENT 1	EMAN
b. TYPE OF WALL			annual states gottone grands are my		N/A	
OIL X	WELL OTHER		Debar DE MOLT		8. FARM OR LEASE NA	MB
2. NAME OF OPERATOR			1 NA 1 Town	3	N/A	
	il & Gas, Inc.		DEC 18 1989		9. WELL NO.	
8. ADDRESS OF OPERATOR			DEG TO		12-5	
P.O. Box 4	04 Tyler, Te	xas 75710	DIVISION OF		10. FIELD AND POOL,	OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance with any State reddirection of MINING  At surface  OIL, GAS & MINING				Wells Draw Castle Peak (075		
508' FWL	2134 FNL (SW 1/	4 NW 1/4)	OIL, GAG & same	iati	11. SEC., T., R., M., OR AND SURVEY OR A	BLE.
At proposed prod. so		4 1/4 T/4)			2 002/21 02 2	
Same	_				Sec. 5, T98	3, R16E
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR 1908	T OFFICE*		12. COUNTY OR PARISH	18. STATE
					Duchesne	Utah
15. DISTANCE FROM PROP LOCATION TO NEARES	IT		16. NO. OF ACRES IN LEASE		F ACRES ASSIGNED HIS WELL	
PROPERTY OR LEASE (Also to nearest dr	LINE, FT. Ig. unit line, if any) 5	i08†	80		40	
18. DISTANCE FROM PRO			19. PROPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS	
OR APPLIED FOR, ON TI	HIS LEASE, FT.	I/A	6200' Wesetch	] ]	Rotary	
21. ELEVATIONS (Show w	hether DF, RT, GR, etc.)				22. APPROX. DATE WO	RE WILL START
5808 GR					February,	1990
23.		PROPOSED CASI	NG AND CEMENTING PROGRA	M	<u> </u>	
SIZE OF HOLE	BIZE OF CABING	WEIGHT PER PO	DOT SETTING DEPTH	QUANTITY OF CEMENT		NT
10 3/4"	8 5/8"	24 #	300'	To Surface		<del></del>
7 7/8"	5 1/2"	15.5 #	6200'	Back to 1500'		
		<del>-</del>				······································
		1	1			
	See Atta	chments - 1	.0 Point Drilling Pr	ogram		
		В	OP Diagram			

IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

reventer program, if any.	214-597-	-7 <del>7</del> 54
SIGNED Fobut I Ka	Agent Agent	DATE 12/11/89
(This space for Federal or State office use)  13-013-312-55	APPROVAL DA	APPROVED BY THE STATE OF UTAH DIVISION OF
APPROVED BY	?'ITLE	OIL, GAS, AND MINING
CONDITIONS OF APPROVAL, IF ANY:		WELL SPACING: RUS-3-2

### T9S, R16E, S.L.B.&M.



▲ = SECTION CORNERS LOCATED. (Brass Cape)

### ROSELAND OIL & GAS, INC.

Well location, FEDERAL #12-5, located as shown in the SW 1/4 NW 1/4 of Section 5, T9S, R16E, S.L.B.&M. Duchesne County, Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE NW CORNER OF SECTION 5, T9S, R16E, S.L.B.&M. TAKEN FROM THE MYTON SW, QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHICAL MAP). PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEO-LOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5792 FEET.



CERTIFICATE SALES OF STATE WAS PREPARED

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME TRUE AND CONTRECT TO IT BEST OF MY KNOWLEDGE AND BELDET.

REGISTERED LAND SURVEYOR REGISTRATION NO. 5709

## UINTAH ENGINEERING & LAND SURVEYING P. O. BOX 1758 - 85 SOUTH - 200 EAST VERNAL UTAH - 84078

SCALE 1" = 1000'	DATE 11-24-89		
PARTY L.D.T. J.B. T.D.H.	REFERENCES G.L.O. PLAT		
WEATHER COOL, CLEAR	FILE ROSELAND OIL & GAS, INC.		

Roseland Oil and Gas, Inc.

### Federal #12-5

Section 5, T9S, R16E, S.L.B. & M.

10 Point Drilling Program

- 1. Geological Surface Formation: Uintah
- 2. Geological Marker Tops:

Formation

Drilled Depth

Douglas Creek Member Green River

4900'

Wasatch Top

6200'

 Depths at which Water, Oil Gas or other Mineral Bearing Formations are expected to be encountered.

Formation

Estimated Top

Douglas Creek Member Green River 4500' to 6200' Oil, Gas

4. Proposed Casing Program: All new Casing

8 5/8" : 300'

5 1/2" : 6200'

Cement Back to Surface

- 5. Operator's Specifications for Pressure Control Equipment:
  - A. Minimum working pressure on rams and BOP equipment will be 3000 psi.
  - B. Function Test and Visual Inspection of the BOP will be conducted daily and noted in the Daily Drilling Report.
- 6. Proposed Circulating Medium:

0-4500'

Fresh Water

4500' - TD

2 % KCL

No Chromates

The Reserve Pit will be lined if determined by the BLM to be needed.

Roseland Oil & Gas, Inc. 10 Point Drilling Program Federal #12-5 Section 5, T9S, R16E, S.L.B. & M.

- 7. Auxiliary Equipment:
  - A. Kelly Cock
  - B. Monitoring of the Mud System will be done visually. A full opening Drill Pipe Stabbing Valve will be kept on the floor at all times.
- 8. Testing, Logging and Coring:


Cores: None
DST: None
DLL - GR: TD to 300'
MSFL - CNL - FDC: TD to 3000'


9. Abnormal Pressures or Temperatures; Potential Hazards:


No abnormal Pressures or Temperatures are anticipated. Anticapated bottom hole pressure is 3000 psi.

10. Anticipated starting Date and Duration:

February 1, 1990 15 Days







OPERATOR Roseland	Oil & Gas In	c. (N9735)	DATE 12-19-89
WELL NAME Federal 1			
SEC <u>SWNW 5</u> T 9	S R	16E COUNTY	Duchesne
43-013-31255 API NUMBER		F,	deral OF LEASE
CHECK OFF:			
PLAT	V	BOND	NEAREST WELL
LEASE	V	FIELD (Stm)	POTASH OR OTL SHALE
PROCESSING COMMENTS: No other well within 9:	20'		
Heed Water Permit			
····			
400000VAL - LETTED -		MP-14-18-18-18-18-18-18-18-18-18-18-18-18-18-	
APPROVAL LETTER:  SPACING: R615-2-3	N/A	<del>}</del>	R615-3-2
	CAUSE NO		R615-3-3
STIPULATIONS:			
1. Water Permit			· · · · · · · · · · · · · · · · · · ·
		· · · · · · · · · · · · · · · · · · ·	



Division Director

# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

December 28, 1989

Roseland Oil & Gas, Inc. P. O. Box 404 Tyler, Texas 75710

### Gentlemen:

Re: Federal 12-5 - SW NW Sec. 5, T. 9S, R. 16E - Duchesne County, Utah 2134' FNL, 508' FWL

Approval to drill the referenced well is hereby granted in accordance with Rule R6I5-3-2, Oil and Gas Conservation General Rules, subject to the following stipulation:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Chapter 3, Title 73, Utah Code Annotated.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of an Entity Action Form within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification if it is necessary to plug and abandon the well. Notify John R. Baza, Petroleurn Engineer, (Office) (80I) 538-5340, (Home) 298-7695, or Jim Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Rule R6l5-3-20, Gas Flaring or Venting, Oil and Gas Conservation General Rules.

Page 2 Roseland Oil & Gas, Inc. Federal 12-5 December 28, 1989

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (80I) 538-6121.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-013-31255.

Sincerely,

Associate Director, Oil & Gas

icr

**Enclosures** 

cc: Bureau of Land Management

D. R. Nielson

J. L. Thompson

WE14/1-2



DIVISION OF OIL, GAS & MINING 3162.31 UT08438

Roseland 011 & Gas, Inc. P. O. Box 404 Tyler, TX 75710

Application for Permit to Drill Well No. 12-5

Section 5, T9S, R16E Lease No. U-30096

43-013-31055

Gentlemen:

The referenced application was received on December 18, 1989. As per operator request, the Application for Permit to Drill is being returned.

If you have any questions regarding this matter, please contact Sally Gardiner of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II Assistant District Manager for Minerals

Enclosure

SGardiner:dj:0189g

	THE RESERVE OF THE PERSON OF T
OIL A	VD GAS
DRN	RUF
JRB	GLH
DTS	SLS
1-TAS	
	ROFILM
٦.	FILE

Division Director

Dianne R. Nielson, Ph.D.

# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

June 1, 1990

Roseland Oil and Gas, Inc. P.O. Box 404
Tyler, Texas 75710

Gentlemen:

Re: Well No. 12-5, Sec. 5, T. 9S, R. 16E, Duchesne County, Utah, API No. 43-013-

<u>31255</u>

Per your request, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval, <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley

Administrative Supervisor

Oil and Gas

TAS/Idc

CC:

R.J. Firth

Well file

**WOI139**